

*Interference Searched***EAST Search History**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((profile\$1 near5 requester\$1) same cache).clm.	US-PGPUB	OR	OFF	2007/04/13 12:56
L2	485	(profile near10 table).clm.	US-PGPUB	OR	OFF	2007/04/13 12:56
L3	6	((profile near10 table) same cach\$3).clm.	US-PGPUB	OR	OFF	2007/04/13 12:56
L4	1	((profile near10 table) same cach\$3 same request\$2).clm.	US-PGPUB	OR	OFF	2007/04/13 12:57
L5	2	((profile\$1 near5 requester\$1) and cach\$3).clm.	US-PGPUB	OR	OFF	2007/04/13 12:57
L6	9	((profile) same ((read or load) near10 (match\$3 or hit))).clm.	US-PGPUB	OR	OFF	2007/04/13 12:58
L7	16	(track with ((multiple or plurality) near2 request\$3)).clm.	US-PGPUB	OR	OFF	2007/04/13 12:58
L8	21	(profile\$1 same cache same (disk or device or disc)).clm.	US-PGPUB	OR	OFF	2007/04/13 12:59

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	13367	profile near10 table	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 10:41
S2	4	(profile near10 table) with requester\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 12:26
S3	1	(profile\$1 near5 requester) same cach\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:34
S4	161	(profile near10 table) same cach\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 12:33
S5	15	(profile near10 table) same cach\$3 same request\$2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:22
S6	1328	(711/112).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 13:22
S7	895	(711/113).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 13:22
S8	0	(711/37).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 13:44
S9	34	(profile\$1 near5 requester\$1) and cach\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:33

EAST Search History

S10	2259	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with (disk near5 (ID or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:45
S11	18	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with cach\$3 with (disk near5 (ID or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:43
S12	39	S6 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:44
S13	714	(711/137).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 13:44
S14	11	S7 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:44
S15	6	S13 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:44
S16	3541	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with (historical)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:44
S17	1	(read\$3 or retriev\$3 or pre-fetch\$3 or prefetch\$3 or preload\$3 or pre-load\$3) with historical with (disk near5 (ID or identification))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:46

EAST Search History

S18	934	(creat\$3 with profile with request\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:47
S19	14	(creat\$3 with profile with request\$2) same cach\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:49
S20	2	(requester\$1 near10 relationship with profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:51
S21	2	(requester\$1 with relationship with profile)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:51
S22	2	(requester\$1 with relationship with profile\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 13:51
S23	1522	(711/118).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 14:32
S24	895	(711/113).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 14:32
S25	1257	(711/100).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 14:32
S26	1739	(711/154).CCLS.	USPAT; USOCR	OR	OFF	2007/04/12 14:32
S27	170	(profile\$1 near5 requester)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:35

EAST Search History

S28	0	S23 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:34
S29	0	S24 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:34
S30	0	S25 and S27	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:34
S31	106	requests with cache with read with retriev\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:36
S32	2	requests with cache with (profile adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:36
S33	11702	(profile adj data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:37
S34	192	(profile adj data) same cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:37

EAST Search History

S35	0	(profile adj data) same cache same ((read or load) near10 (match\$3 or hit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:40
S36	484	(profile) same ((read or load) near10 (match\$3 or hit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:40
S37	11	(profile) same cache same ((read or load) near10 (match\$3 or hit))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/12 14:40
S38	136	track with ((multiple or plurality) near2 request\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 10:52
S39	7	track with ((multiple or plurality) near2 request\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:03
S40	61	(request\$2 near5 profile\$1) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:02
S41	0	(requesters near5 profile\$1) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:02

EAST Search History

S42	1110	((multiple or plurality) near2 request\$3) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:19
S43	2	((multiple or plurality) near2 request\$3) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:04
S44	0	((multiple or plurality) near2 (requesters users or workstations)) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:04
S45	2	(historical) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:05
S46	0	((read or load) near2 (match or hit)) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:07
S47	673	(historical near2 access near2 (information or data))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:08
S48	22	(historical near2 access near2 (information or data)) with cache	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:17
S49	1328	(711/112).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:17

EAST Search History

S50	895	(711/113).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:17
S51	1257	(711/100).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:17
S52	1509	(711/114).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:18
S53	1522	(711/118).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:18
S54	1005	(711/141).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:18
S55	1739	(711/154).CCLS.	USPAT; USOCR	OR	OFF	2007/04/13 11:18
S56	2	((multiple or plurality) near2 request\$3) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:20
S57	127	(request\$3) with cache with profile\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:20
S58	0	S49 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S59	1	S50 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:20
S60	0	S51 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21

EAST Search History

S61	1	S52 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S62	1	S53 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S63	3	S54 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S64	1	S55 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S65	2	S56 and S57	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S66	1	S49 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S67	1	S50 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21

EAST Search History

S68	1	S51 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S69	2	S52 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S70	4	S53 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S71	3	S54 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:21
S72	4	S55 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:22
S73	0	S56 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:24
S74	112	profiles same cache same (read or load\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:25

EAST Search History

S75	17	profile\$1 same cache same ((read or load\$3) with (hit or match\$3))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:27
S76	445	profile\$1 same cache same (disk or device or disc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:28
S77	1	(profile\$1 near5 requester\$1) same cache same (disk or device or disc)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/13 11:28